



# in 70 Countries...



QATAR/ UAE/ USA/ CANADA/ TURKIYE/ **DOHA NEW JERSEY DUBAI ISTANBUL TORONTO** Store Store Store Store Head Warehouse Warehouse Warehouse Warehouse Office





Tribeca was established in October 2004 as Turkey's first rotational molding company in its sector. It is still the only company in our country that uses rotational molding as the main production technique.

Tribeca, which entered the sector with a 90 m<sup>2</sup> warehouse in the early stages of its establishment, serves to day with 65 employees in a closed full fledged production area of 5500 m<sup>2</sup>.

Tribeca manufactures molds too in its own 2000 m² facility in China for all its own products.

Tribeca also manufactures medical trolleys in its facility in China and sells them to close countries (Singapore, Australia, Thailand, Philippines, India, New Zealand, Mexico, Peru, Chile, Colombia, etc.). Medical trolleys are produced separately in two separate facilities. Due to its own molding plant in China, it has has the capacity to introduce new models of products in the most cost-effective and fastest way.

Tribeca's goal at the time of its establishment was to manufacture HORECA products, that used to be imported, in Turkey and export them to Europe and the Middle East while trying its best to keep a very good quality-price rate to resis competition. It has been very successful in this regard until today. It is the sole manufacturer in Turkey for at least 40% of the products in its range.

As a result of all these efforts, Tribeca has managed to reach 70 different countries in exports directly from its factory in Istanbul – Turkey. Since the raw materials we use cannot be produced in our country, they are all imported from renowned international producers. The selection of high quality raw materials is our first priority. In this regard, we don't compromise with its quality. The biggest share of our success is due to the fact that we are sensitive to this issue avoiding to think cheap.

The products have been tested and certified by international certification institutions in outsourced laboratories. In addition to ISO 9001 Quality Management System - ISO 13485 Medical Devices Quality Management System, CE Certificates and NSF Certificates, Tribeca also conducts quality tests for every product separately.

In September 2021, Tribeca General Trading L.L.C. was established in UAE following the aim of TRIBECA to deliver its products faster in GCC countries from its 650 square meter warehouse located 50 meters from Salah Al Din Street wellknown as the main street of the industrial kitchen equipment suppliers in Dubai.

## FULL STOCK READY TO DELIVER IN DUBAI

As a company exporting to 70 countries; we think that it is time to introduce Turkish production quality to the world. Since we have tried every way to increase exports, in this direction, we established a company in Hamriyah Free Zone - Sharjah in November 2019 to keep the products of other sector companies, especially our brand, ready in potential markets and deliver them instantly from the warehouse. We stocked the products of 15 different Turkish brands in total and offered them directly to the United Arab Emirates market. Until today, this type of organization has not been done in our sector. But when the pandemic started, we did not have the chance to implement what we thought as we wanted. Of course, we knew the correctness of our work from the positive reactions we received from our customers. Therefore, we decided to continue on our way even in the pandemic environment, even in the heart of the market, and moved our warehouse to Salah Al Din Street, which is considered the center of our industry in the UAE. We will continue our activities much more effectively with our newly established Tribeca General Trading L.L.C. company from 2022. I would like to underline that our 650 square meter warehouse in this region, which can be called the industrial products center of Dubai, is the first and only one in our sector not only for our country but also in the world. "The World's Plan B is Turkey"





Salah Al Din Str. Al Khabaisi Dubai - UAE

## TRIBECA PRODUCTS ARE AVAIBLE AT THESE LOCATIONS **YOU CAN VISIT**

www.tribecanorthamerica.com



STORE / WAREHOUSE CANADA

National Distributing Group

375 Norfinch Drive, Toronto, ON. M3N 1Y7

TEL: 416 - 665 - 3663 / FAX: 416 - 665 - 2757

TOLL FREE: 1-844-660-3663

E-mail: info@ndgcanada.com canada@tribecanorthamerica.com



STORE / WAREHOUSE USA
National Distributing Group North America
1135 W Elizabeth Avenue

Linden, New Jersey 07036

TEL: 1 - 980 - 888 - 8197 / TOLL FREE: 1 - 866 - 201 - 8289

E-mail: info@ndgnorthamerica.com us@tribecanorthamerica.com

# **INDEX**

**ABOUT US** 

**COMPANY HISTORY** 

TRIBECA AROUND THE WORLD

PAGE 1

\_\_\_\_\_\_

DUBAI WAREHOUSE

AMERICA & CANADA WAREHOUSE

PAGE 2-3

\_\_\_\_\_

INSULATED FOOD TRANSPORT

**EPP THERMOBOX** 

THERMOBOX

THERMOBOX CARRYING CART

INSULATED ICE BIN CART

THERMOBOX 85L

PAGE 6-20

......

INSULATED LIQUID/BEVERAGE TRANSPORT

**INSULATED LIQUID CONTAINER** 

PAGE 21-22

\_\_\_\_\_\_

FOOD STORAGE

**INGREDIENT BIN** 

PAGE 23-24

-----

HOSPITAL INSULATED FOOD TRANSPORT

THERMO TRAYS & CART

PAGE 25-26













# **INDEX**

**SERVICE & TRANSPORTATION EQUIPMENT** 

SERVICE TROLLEY

TRAY COLLECTING CART

**DISH & TRAY CART** 

PLATE STACKING TROLLEY

DISH CART ADJUSTABLE

PREP AND TRANSPORT CART

GN FOOD PAN TROLLEY

TRAY TROLLEY

DOUGH BOX TROLLEY

PAGE 27-39

TRIBECA MOBILE BAR

PAGE 40

MODULAR SHELVING SYSTEMS

SHELVING SYSTEM

PAGE 41-44

WARE-WASHING PRODUCTS

CLASSIC MODEL- RACKS AND EXTENDERS

CLOSED SIDED MODEL- RACKS AND EXTENDERS

RACKS AND EXTENDERS CARRYING CARTS

PAGE 45-51

SPECIAL PRODUCTS FOR OUTDOOR / INDOOR AREAS

CIGARETTE BIN

**HELMET HOLDER** 

PAGE 52-54

BABY & CHILD EQUIPMENT

**BABY CHANGING STATION** 

BABY & CHILD CHAIR

PAGE 55-56













## THE LATEST INNOVATION IN FOOD CATERING AND TRANSPORT


- Excellent insulation (-40 °C +120 °C) with high thermal stability
- Made of Expanded Polypropylene EPP, a robust and heat-resistant raw material initially used in the automotive industry
- Durable and lightweight
- Perfect for hot, cold and fresh food
- · Hygienic and dishwasher-proof
- 100 % recyclable
- Tightly closing lid
- In compliance with EC-regulation 1935/2004 safe for food contact without any danger to human health



**Ergonomic handles** Deep recessed handles afford non-slip-fingertip control



Stackable design for easy transportation and carriage



Waterproof Hygienic and dishwasher-proof Durable and lightweight



Space to easily change the GN containers















Easy to open Special grips on each corner



Break-resistant (100∓ Kg)



## **EPP Thermobox-40x60**

Front loading





4 H

3 H

2 H

Product code	EPP-4060FL
Colors	Black
Int. Dimensions	L: 615xW: 410xH: 585 mm
Ext. Dimensions	L: 770xW: 535xH: 705 mm
Net Weight	6,10 Kg
Max. Capacity	126 L























### **EPP Thermobox-600**


Front loading

- •Made for GN 1/1 containers
- •Front loader
- ·Smooth opening and closing

Product code	EPP-600
Colors	Black
Int. Dimensions	L: 535xW: 330xH: 525 mm
Ext. Dimensions	L: 440xW: 650xH: 635 mm
Carton Size	L: 445xW: 655xH:640 mm
Quantity In Box	1 pcs
Net Weight	3,40 Kg
Max. Capacity	86 L

	PCS	PORTIONS
GN 1/1 - 20 mm	12	120
GN 1/1 - 65 mm	6	216
GN 1/1 - 100 mm	4	224
GN 1/1 - 150 mm	3	252
GN 1/1 - 200 mm	2	234

**EPP600** 



2 solid locks

Possibility to be handled from all 4 sides

Door opens up to 270°



12 built-in rails for GN 1/1 containers

GN 1/1-65 GN 1/1-65 GN <u>1/1-65</u> GN 1/1-65 GN 1/1-65 GN 1/1-65



51 L GN 1/1-65 x 6 Pcs

52,5 L GN 1/1-100 x 4 Pcs

GN 1/1-150 GN 1/1-200 GN 1/1-150 GN 1/1-200 GN 1/1-150 58,5 L 51 L GN 1/1-150 x 3 Pcs GN 1/1-200 x 2 Pcs

#### +4 HOURS TEMPERATURE PROTECTION

















Resistant to liquid dripping

86,6°C 85,4°C 83,8°C 82,2°C 4 H -20°C -14°C -11,5°C -9,9°C -9,3°C 2 H 4 H


### EPP Thermobox-406020/406030

Top loading

- Specially made for bakery trays
- Top loader

Product code	EPP-406020TL
Colors	Black
Int. Dimensions	L: 625xW: 425xH: 205 mm
Ext. Dimensions	L: 697xW: 497xH: 279 mm
Net Weight	1,60 Kg
Max. Capacity	53 L





Waterproof Hygienic and dishwasher-proof Durable and lightweight

Space to easily change the bakery trays








Break-resistant (100∓ Kg)

Product code	EPP-406030TL
Colors	Black
Int. Dimensions	L: 625xW: 425xH: 305mm
Ext. Dimensions	L: 697xW: 497xH: 379 mm
Net Weight	1.90 Kg
Max. Capacity	81 L











+4 HOURS TEMPERATURE PROTECTION












### **EPP Thermobox-200**

Top loading

- Excellent insulation (from 40°C up to + 120°C) with high thermalstability.
- · Robust, made of EPP
- Perfect for hot, cold and fresh food.
- 100% recyclable.
- Tightly closing lid.
- In compliance with EC-regulation 1935/2004, safe for food contact.
- CFC free





## +4 HOURS TEMPERATURE PROTECTION




















### **EPP Pizza Box**

Top loading





Product code	EPP-3535L	EPP-3535H
Colors	Black	Black
Int. Dimensions	L: 365xW: 350xH: 175 mm	L: 365xW: 350xH: 335 mm
Ext. Dimensions	L: 425xW: 410xH: 235 mm	L: 425xW: 410xH: 395 mm
Quantity in Box	1 pcs	1 pcs
Net Weight	0,90 Kg	1,20 Kg
Max. Capacity	22 L / 4 pizzas	43 L / 8 pizzas



Product code	EPP-4242L	EPP-4242H
Colors	Black	Black
Int. Dimensions	L: 420xW: 420xH: 175 mm	L: 420xW: 420xH: 175 mm
Ext. Dimensions	L: 480xW: 480xH: 245 mm	L: 480xW: 480xH: 245 mm
Quantity İn Box	1 pcs	1 pcs
Net Weight	1,10 Kg	1,40 Kg
Max. Capacity	31 L / 4 pizzas	59 L / 8 pizzas

## +4 HOURS TEMPERATURE PROTECTION


















The vent releases steam to keep the pizza dough crispy

**EPP Thermobox-Delivery Box** 

Front loading






Product code	EPP-MBP	EPP-MBPF (EPP-MBP + EPP-4242L)
Colors	Black	Black
Int. Dimensions	L:420xW: 491xH: 408 mm	L:420xW: 491xH: 408 mm
Ext. Dimensions	L: 577xW: 690xH: 585 mm	L: 577xW: 690xH: 585 mm
Quantity İn Box	1 pcs	1 pcs
Net Weight	5 Kg	6 Kg
Max. Capacity	100 L	100 L



Changeable large label area in 4 sides



Easy key locking



• Drip-resistant

· Steam vent to keep pizzas crispy



Robust hinge system






High flexibility, Adjustable shelf







+4 HOURS
TEMPERATURE PROTECTION

















#### **TCB Thermobox-600**

Front loading







**Colors** 



T	CB	60	00
	u		,,

ICBOUU	
Int. Dimensions	L: 335xW: 515xH: 500 mm
Ext. Dimensions	L: 465xW: 610xH: 630 mm
Carton Size	L: 480xW: 660xH: 645 mm
Quantity In Box	1 pcs
Net Weight	15 Kg
Gross Weight	16,75 Kg
Max. Capacity	86 L

The monobloc ergonomic handles are fixed in a convenient height making transportation easier even if when the thermobox is fully charged with food



Stackable design for easy transportation and carriage

#### **Features**

- · Made by rotational-molding (roto-molded) technology that ensures impact resistance and long-term durability.
- · Made of low density polyethylene which is suitable for food and harmless for human health.
- · Food grade LLDPE material which is eco-friendly, recyclable, non-toxic, UV resistant, resistant to both heat, cold and corrosion.
- · One-piece seamless construction which makes it leak-proof.
- Injected with 38 40 kg/m<sup>3</sup> density CFC-free polyurethane between the internal and external walls making a double wall. Thick polyurethane insulation layer (2.3") for a longer heat-retention effect.
- · Monobloc construction with no seams for increased durability.
- · All screws are made by AISI 304 stainless steel.
- Door is equipped with hinges and latches made of unbreakable PA6 Nylon.
- •Front loading. Heat resistance from -40 to +100 °C.
- •For hot meals it loses 1.5 degree per hour and heats up 1 degree for cold meals.
- · Round door gasket made by FDA approved silicone.
- · Very durable construction due to the raw material and the body manufacturing technique with no need for extra protection.

Polyethylene door that swings open to 270° to the left side reducing the risk of cross contamination





Easy locking



Designed for GN containers. It includes 12 shelving areas with a shelving range of 30 mm

Optional Accessorie	(Thermobox Carrying Cart)
Colors	Black
Int. Dimensions	L: 680xW: 540xH: 160 mm
Ext. Dimensions	L: 690xW: 185xH: 550 mm
Carton Size	1 pcs
Quantity In Box	6,20 Kg
Net Weight	7,20 Kg

**PORTIONS** 

120

216

224

252

234

PCS

12

GN 1/1 - 20 mm

GN 1/1 - 65 mm

GN 1/1 - 100 mm

GN 1/1 - 150 mm

GN 1/1 - 200 mm

TCB600C

GN 1/1-100 GN 1/1-150	GN 1/1-200
GN 1/1-100	GN 1/1-200
GN 1/1-150 GN 1/1-150	

88°C	86,6°C	85,4°C	83,8°C	82,2°C
	1 H	2 H	3 H	4 H
-20°C	-14°C	-11,5°C	-9,9°C	-9,3°C
	1 H	2 H	3 H	4 H



### TCB Thermobox-100-150-200

Top loading







	TCB100	TCB150	TCB200
Int. Dimensions	L: 550xW: 350xH: 110 mm	L: 550xW: 350xH: 160 mm	L: 550xW: 350xH: 210 mm
Ext. Dimensions	L: 635xW: 435xH: 200 mm	L: 635xW: 435xH: 250 mm	L: 635xW: 435xH: 310 mm
Carton Size	L: 650xW: 455xH: 230 mm	L: 650xW: 455xH: 280 mm	L: 460xW: 650xH: 315 mm
Quantity In Box	1 pcs	1 pcs	1 pcs
Net Weight	7,10 Kg	7,60 Kg	8,90 Kg
Gross Weight	8 Kg	8,20 Kg	10 Kg




#### **Features**

- · Made by rotational-molding (roto-molded) technology that ensures impact resistance and long-term durability.
- Made of low density polyethylene which is suitable for food and harmless for human health.
- · Food grade LLDPE material which is eco-friendly, recyclable, non-toxic, UV resistant, resistant to both heat, cold and corrosion.
- · One-piece seamless construction which makes it leak-proof.
- Injected with 38 40 kg/m<sup>3</sup> density CFC-free polyurethane between the internal and external walls making a double wall. Thick polyurethane insulation layer (2.3") for a longer heat-retention effect.
- · Monobloc construction with no seams for increased durability.
- · All screws are made by AISI 304 stainless steel.
- · Lid is equipped with hinges and latches made of unbreakable PA6 Nylon.
- Top Loading. Heat resistance from -40 to +100 °C
- For hot meals it loses 1.5 degree per hour and heats up 1 degree for cold meals.
- · Very durable construction due to the raw material and the body manufacturing technique with no need for extra protection.

convenient height making transportation easier
even if when the thermobox is fully
charged with food

Designed for standard GN containers

TCB 100	TCB 150	TCB 200
GN 1/1-100mm(1 Pcs.)x56 Port.	GN 1/1-150mm(1 Pcs.)x84 Port.	GN 1/1-200mm(1 Pcs.)x112 Port.
GN 1/2-100mm(2 Pcs.)x24 Port.	GN 1/2-150mm(2 Pcs.)x36 Port.	GN 1/2-200mm(2 Pcs.)x50 Port.
GN 1/3-100mm(3 Pcs.)x16 Port.	GN 1/3-150mm(3 Pcs.)x23 Port.	GN 1/3-200mm(3 Pcs.)x31 Port.
-		



### **Thermobox-Army Models**













	TCB200C	RFC-33L	BC-23L	RBC-33L	FBC-17L
Ext. Dimensions	L: 635xW: 435xH: 300 mm	420 mm H: 540 mm	L: 230xW: 483xH: 745 mm	L: 420xW: 620	L: 420xW: 420xH: 275
Carton Size	L: 650xW: 455xH: 330 mm	L: 430xW: 430xH: 550 mm	L: 250xW: 500xH: 760 mm	L: 430xW: 430xH: 630 mm	L: 430xW: 430xH: 290 mm
Quantity In Box	1 pcs	1 pcs	1 pcs	1 pcs	1 pcs
Net Weight	8,70 Kg	14,20 Kg (Without pots)	11 Kg	15 Kg	5 Kg
Gross Weight	9,90 Kg	15,10 Kg (Without pots)	12,30 Kg	15,50 Kg	5,50 Kg
Max. Capacity	-	33 L	23 L	33 L	17 L

Easy lo	cking	
TCB-200C	RFC-33L	BC-23L
Designed for standard GN containers	RBC-33L	AISI 304 18/10 Stainless steel inner line.
Optional / O Robust cons design, 3 lev	psiyonel struction, stackable rel pots to put	

different types of meals and

 $\emptyset$  26 cm h: 15 cm x 3 pcs

transport them

**Features** 

#### TCB2000

- Made by rotational-molding (roto-molded) technology that ensures impact resistance and long-term durability.
- Made of low density polyethylene which is suitable for food and harmless for human health.
- Food grade LLDPE material which is eco-friendly, recyclable, non-toxic, UV resistant, resistant to both heat, cold and corrosion.
- One-piece seamless construction which makes it leak-proof.
- Injected with 38 40 kg/m³ density CFC-free polyurethane between the internal and external walls making a double wall. Thick polyurethane insulation layer (2.3") for a longer heat-retention effect.
- · Monobloc construction with no seams for increased durability.
- · All screws are made by AISI 304 stainless steel.
- Lid is equipped with hinges and latches made of unbreakable PA6 Nylon.
- The monobloc ergonomic handles are fixed in a convenient height making transportation easier even if when the thermobox is fully charged with food.
- · Stackable design for easy transportation and carriage.
- Top Loading. Heat resistance from -40 to +100 °C
- For hot meals it loses 1.5 degree per hour and heats up 1 degree for cold meals.
- Very durable construction due to the raw material and the body manufacturing technique with no need for extra protection.

#### BC-23L / RFC-33L / RBC-33L / FBC-17L

- Made of linear low density polyethylene LLDPE which is suitable for food contact, harmless to human health, environmentally friendly and recyclable.
- Injected 38-40 kg/m³ density polyurethane (CFC-FREE) between internal and external walls producing a double wall.
- · Monobloc seamless construction for increased durability.
- Ergonomic molded-in handles located on the top of sides for easy lifting, handling and transportation. Handles will not break or and crack.
- · Stackable design for easy transportation and carriage.
- Top Loading. Heat resistance between -40°C and +100°C
- For hot beverage, it loses 1.5 degree per hour and heats up 1 degree for cold beverages.
- It is very durable because of the raw material and manufacturing technique used in the body. It does not need any extra protection.
- 304 18/10 Stainless steel latches and easy lifting and handling.
- · Removable lid with inner S/S line equipped with silicone gasket.

FBC-17L

#### **Insulated Ice Bin Cart**

Color







	BK-125	BK-175
Int. Dimensions	L: 605xW: 800xH: 745 mm	L: 610xW: 965xH: 745 mm
Ext. Dimensions	L: 610xW: 810xH: 760 mm	L: 645xW: 970xH: 760 mm
Carton Size	1 pcs	1 pcs
Quantity In Box	25,50 Kg	29,40 Kg
Net Weight	28 Kg	32,40 Kg
Gross Weight	125 L (57 Kg)	175 L (80 Kg)




Slide opening lid that reduces the risk of cross contamination

#### **Features**

- Made of food grade CFC-FREE polyethylene and polyurethane.
- Double walled seamless body with monobloc construction.
- •Due to its polyethylene structure and polyurethane foam insulation.
- Durable and suitabl for all weather conditions. Its body doesn't break, crack, chip or dent.
- It doesn't require mounting/assembly. Ready touse.
- · Easy to clean.







Ergonomically molded handles ensure ride and transport

Equipped with 2 swivel wheels with brakes, 2 fixed wheels without brakes. This 4 wheels configuration allows the cart to move easily evenwhen it's fully charged

#### Thermobox-85L

Top loading





Color



#### TCB-85L

	ICD-03L
Ext. Dimensions	L: 700 xW: 530 xH: 560mm
Carton Size	L: 695 xW: 525xH: 555mm
Quantity In Box	1 pcs
Net Weight	15,10 Kg
Gross Weight	15,30 Kg
Max. Capacity	85 L



#### **Features**

- Made by rotational-molding (roto-molded) technology that ensures impact resistance and long-term durability.
- Made of low density polyethylene which is suitable for food and harmless for human health.
- Food grade LLDPE material which is eco-friendly, recyclable, non-toxic, UV resistant, resistant to both heat, cold and corrosion.
- Injected with 38 40 kg/m³ density CFC-free polyurethane between the internal and external walls making a double wall. Thick polyurethane insulation layer (2.3") for a longer heat-retention effect.
- · Monobloc construction with no seams for increased durability
- The monobloc ergonomic handles are fixed in a convenient height making transportation easier even if when the thermobox is fully charged with food.
- Stackable design for easy transportation and carriage.
- Top loading. Heat resistance from -40 to +100 °C. For hot meals it loses 1.5 degree per hour and heats up 1 degree for cold meals.
- Very durable construction due to the raw material and the body manufacturing technique with no need for extra protection.



The rear channels to easily retrieve the product inside




Lid is equipped with hinges and latches made of unbreakable PA6 Nylon

One-piece seamless construction which makes it leak-proof. It has a fully removable top Lid. It has a round lid seal made of FDA approved silicone.

+4 HOURS
TEMPERATURE PROTECTION

















Black Army Green







	ST-10	ST-20	ST-40
Ext. Dimensions	L: 430xW: 295xH: 500 mm	L: 420xW: 295xH: 675 mm	L: 520xW: 410xH: 635 mm
Carton Size	L: 435xW: 305xH: 510 mm	L: 430xW: 300xH: 680 mm	L: 525xW: 410xH: 660 mm
Quantity In Box	1 pcs	1 pcs	1 pcs
Net Weight	6,20 Kg	8 Kg	12,70 Kg
Gross Weight	7 Kg	9 Kg	14,20 Kg
Capacity	10 L	20 L	40 L

Ergonomic molded-in handles on top sides of the containers allowing easy lifting, handling and transportation





Nylon latches that open and close easily





- · Rotational-molded (roto-molded) technology which ensures impact resistance and long-term durability.
- Made of low density polyethylene which is harmless for human health and suitable for food.
- Food grade eco-friendly, non-toxic, UV resistant, both hot and cold resistant, corrosion-resistant, recyclable LLDPE material.
- One-piece seamless construction. Double-walled construction injected with CFC-free polyurethane insulation foam between the internal and external walls.
- · Double-walled monobloc polyethylene structure that won't dent, crack, chip or break.
- · Easy to clean.
- · Recyclable and eco-friendly.



No drip black faucet with plastic shank



Stackable design



The lid is equipped with a vent cap that allows to evacuate the steam out of the product



## **Ingredient Bin**






#### USA-102


Ext. Dimensions	L: 420xW: 750xH: 710 mm
Carton Size	L: 420xW: 770xH: 965 mm
Quantity In Box	2 pcs
Net Weight	19 Kg
Gross Weight	21.50 Kg
Max. Capacity	102 L



Transparent covers made of ABS providing visibility without opening the lids ABS cover







- Bin made of LLDPE which is suitable for food. No liners are needed.
- · Smooth interior and exterior surface shelps easy cleaning.
- Environmentally friendly and recyclable.
- Easy to clean.
- It won't dent, crack, chip or break.



## **Thermo Trays & Cart**





TT-5NL	/TT-6NL
WITH LO	OCK

Ext. Dimensions	L: 387xW: 542xH: 120 mm	L: 390xW: 542xH: 120 mm
Carton Size	L: 390xW: 550xH: 360 mm	L: 390xW: 550xH: 360 mm
Quantity In Box	3 pcs	3 pcs
Net Weight	8,50 Kg	8,80 Kg
Gross Weight	9,40 Kg	9,60 Kg





\* Plates are not included in the price / product

#### TT-6N

23 cm Flat Plate 17 cm Square Oval Plate (2 pcs.)

14 cm Square Oval Plate

12 cm Soup Bowl

170 cc Cup

#### **Features**

- · Made of polypropylene suitable for food and harmless for human health, environmentally friendly and
- · Injected with 38 40 kg/m³ density polyurethane (CFC-FREE).
- · Dishwasher friendly.
- · Resists temperatures between -40 and +100 °C.
- · Trays cannot be used without plates/crockeries.
- · Stackable design allowing easier usage, storage and transport.

It has the capacity to hold 18 Thermo Trays (9+9)

**Plates Dimensions** 

TT-5N

23 cm Flat Plate 20 cm Deep Plate

12 cm Soup Bowl

170 cc Cup

17 cm Square Oval Plate



Due to the design of the rail ends with stopper, the thermo trays remains stable

Ergonomic design, elegant outlook.



TTTA\_QQ

	111A-99
Ext. Dimensions	L: 710xW: 1010xH: 1490 mm
Carton Size	L: 720xW: 1020xH: 1500 mm
Quantity In Box	1 pcs
Net Weight	28 Kg
Gross Weight	31 Kg





	SAA-85	SAK-95
Ext. Dimensions	L: 850xW: 515xH: 875 mm	L: 960xW: 570xH: 880 mm
Carton Size	L: 870xW: 530xH: 895 mm	L: 965xW: 575xH: 885 mm
Quantity In Box	1 pcs	1 pcs
Net Weight	22,30 Kg	27.10 Kg
Gross Weight	24 Kg	29.50 Kg

#### Colors











It is not suitable to be kept under the sun for long hours and to carry hot GN containers





To be used more efficiently, it should be equipped with cutlery and waste bins

#### **Features**

- Multi-purpose, handy, substantive and reliable use.
- Made of low density polyethylene which is suitable for food and harmless for human health, recyclable and environmentally friendly.
- Monobloc construction along with handle and shelves which make the trolley highly impact resistance.
- Injected with 38 40 kg/m³ density CFC-free polyurethane between the internal and external walls making a double wall handling more weight.
- · Easy to clean.
- It won't crack, chip or break.
- NSF-Certified
- Closed back side. (SAK-95 model)
- Open back side. (SAA-85 model)

Easy movement between tables thanks to 2 swivel castors and 2 castors with brakes







Optional Accessories	BTK-01 Bussing Box	CKA-SA Cutlery Bin	CA-SA Waste Bin
Colors	Black	Black	Black
Ext. Dimensions	L: 470xW: 390xH: 150 mm	L: 280xW: 180xH: 360 mm	L: 345xW: 210xH: 520 mm

To be used more efficiently, it should be equipped with cutlery and waste bins

## **Service Trolley 3 Shelves**







Ext. Dimensions	L: 770xW: 565xH: 900 mn
Int. Dimensions	L: 710xW: 505xH: 560 mm
Carton Size	L: 910xW: 780xH: 100 mm
Quantity In Box	1 pcs
Net Weight	13 Kg
Gross Weight	14,50 Kg





Scan here to watch the assembly video.

#### **Features**

- · Rigid structure.
- · These trolleys are suitable for cold rooms, warehouses and service areas.
- · Robustness and durability thanks to anodised aluminium shelves and ABS shelves.
- · Removable ABS shelves can be placed in the dishwasher
- Maximum loading capacity per shelf: 120 150 Kg.
- It has 3 shelf levels.
- It is a disassembled product.

## **GN Food Pan Trolley 2/1**



All sizes are designed with space to fit the cutting board in the upper cavity



GNC-HALF

|--|

-218	GNC-2118
SIZE	FULL SIZE

Ext. Dimensions	L: 670xW: 610xH: 960 mm	L: 670xW: 610xH: 1170 mm
Quantity In Box	1 pcs	1 pcs
Number of Shelves	8	18

**High Durable Low Maintenance** Easy to Clean



Quiet, Smooth Glide, Swiel Casters. 2 Of Them With Brake



Suitable for hot pans and trays coming out of the oven

## **GN Food Pan Trolleys & Patisserie Tray Trolleys**



Scan here to watch the GN Food Pan Cart assembly video.











**High Durable Low Maintenance** Easy to Clean

	GNC-118 HALF SIZE	GNC-1118 FULL SIZE	GNC-1116 DOUBLE HALF SIZE
Ext. Dimensions	L: 550xW: 400xH: 960 mm	L: 550xW: 400xH: 1770 mm	L: 560xW: 770xH: 960 mm
Quantity In Box	1 pcs	1 pcs	1 pcs
Number of Shelves	8	18	16



Suitable for hot pans and trays coming out of the oven

PTC-40609



PREP AND TRANSPORT CARTS



Quiet, Smooth Glide, Swivel Casters. 2 Of Them With Brake





All sizes are designed with space to fit the cutting board in the upper cavity









Р	I	C	-4	41	
Н	A	L	F	S	

PTC-406018 FIII I SI7F

	HALF SIZE	FULL SIZE
Ext. Dimensions	L: 420xW: 680xH: 1160 mm	L: 420xW: 680xH: 1770 mm
Quantity In Box	1 pcs	1 pcs
Number of Shelves	9	18



Scan here to watch the Patisserie Tray Cart assembly video.



## **Dough Box Trolleys**









PDC-714
Pizza Dough Cart for 7 cm Boxes

PDC-1011 Pizza Dough Cart for 10 cm Boxes

Ext. Dimensions	L: 620xW: 480xH: 17	70 mm L: 620xW: 480xH: 1770 mm
Quantity In Box	1 pcs	1 pcs
Number of Shelves	14	11







There are 2 models of trolleys, for boxes with 7 cm height and for boxes with 10 cm height

Designed for transporting dough boxes.



Quiet, Smooth Glide, Swivel Casters. 2 Of Them With Brake

- Ergonomic design.
- Manufactured for H: 7 cm and H:10 cm dough boxes.
- Delivered unassembled for easy transportation and storage.
- It won't crack,dent,rust,chip or break.



Double design with two compartments of 11 shelves each that may hold 22 pcs of 37x53 cm service trays





TC -3753-22

TC -3753-11

Ext. Dimensions	L: 850xW: 580xH: 1760 mm L: 440xW: 580xH: 1770 mm		
Quantity In Box	1 pcs	1 pcs	
Number of Shelves	22	11	



Quiet, Smooth Glide, Swive Casters 2 Of Them With Brake



Due to the design of the rail ends with stopper, the trays remains stable





#### **Features**

- · Ergonomic design, elegant outlook.
- Manufactured for 37x53 cm service trays.
   It may be produced for other tray sizes.
- Delivered unassembled for easy transportation and storage.
- It won't dent, crack, rust, chip or break.

## **Tray Collecting Cart**



Ext. Dimensions L: 870xW: 690xH: 1760 mm
Carton Size L: 1800xW: 720xH: 300 mm
Quantity In Box 1 pcs
Net Weight 35 Kg
Gross Weight 38 Kg

TTA -3753



Provides easy movement through, heavy duty 2xSwivel 125 mm Caster w/brake and 2 Swivel 125 mm w/out brake



Ergonomically designed handles and pushing places provide easy transportation and ease of movement




#### Color



Black

- · Ergonomic design, elegant outlook.
- Manufactured for 37x53 cm service trays.
   It may be produced for other tray sizes.
- 304 quality stainless steel profiles are used to connect the shelves from top and bottom.
- Made of polyethylene so it won't rust. It is also washable and unbreakable.
- Molded by electrostatic paint which attaches the profiles in both sides.
- Delivered unassembled for easy transportation and storage.
- · It won't dent, crack, rust, chip or break.











	11A -2
Ext. Dimensions	L: 980 xW: 585 xH: 880 mm
Carton Size	L: 1020 xW: 585 x H: 885 mm
Quantity In Box	1 pcs
Net Weight	21,60 Kg
Gross Weight	28,10 Kg

- · Suitable for stores to transport plates and trays.
- · Multi-purpose, handy, substantive and reliable use.
- Made of LLDPE low density polyethylene which is suitable for food and harmless for human health, recyclable and environmentally
- Injected with CFC-free polyurethane between the internal and external walls making a double wall handling more weight to reduce noises and add strength to the structural body.
- Equipped by 2 adjustable booths to carry different dimensions of trays and dishes.



Equipped with 2 adjustable booths to carry various dimensions of trays and dishes.




Provides easy movement by 2 heavy duty Ø15.24 mm swivel wheels and 2 wheels





TIA-80	TIS-20
L: 720xW: 720xH: 1820 mm	L: 340xW: 460xH: 890 mm
L: 730xW: 730xH: 250 mm L: 1620xW: 720xH: 325 mm	L: 380xW: 480xH: 910 mm
1 pcs	1 pcs
15.70 Kg	5,60 Kg
17.72 Kg	6,90 Kg
80 Plates	20 Plates
	L: 720xW: 720xH: 1820 mm L: 730xW: 730xH: 250 mm L: 1620xW: 720xH: 325 mm 1 pcs 15.70 Kg 17.72 Kg



with ø 16 swivel casters
















Includes vinyl cover for safe storage and hygiene



Include 5 pieces polyethylene molded adjustable dividers that help changing the size of column according to different dish sizes in an easy fashion





High movement capability thanks to heavy duty 2x254 mm rear wheel and front caster 125 mm x 2 swivel w/brake


Capable of storing 45-60 dishes for each compartment according to the models of plates

#### **Features**

- Made of low density polyethylene monobloc construction which provides long-term usage.
- Safely storage and carry.
- · Opened shelf design for easy access.
- Break-proof monobloc structure which provides easy holding.
- Easy to clean.
- Adjustable model provides reliable and safe transportation.
- · Integrated metal helps dishes to get fixed.
- Environmentally friendly since it's made of recyclable raw material.
- · It won't dent, crack, rust, chipor break.
- $\bullet$  Ready-to-use not requiring any assembly.
- · NSF-Certified.













TAA-6 model is suitable for round and square dishes with 4 casters. There are 2 swivel casters with brakes

and 2 fixed caster

## **Dish Cart Adjustable**

Color











Ext. Dimensions L: 1120xW: 710xH: 800 mm	L: 985xW: 760xH: 900 mm L: 1000xW: 780xH: 920 mm
	L: 1000xW: 780xH: 920 mm
Carton Size L: 1130xW: 715xH: 810 mm	
Quantity In Box 1 pcs	1 pcs
Net Weight 38,50 Kg	37 Kg
Gross Weight 43 Kg	40 Kg
Max. Capacity 180-480 Plates	180-480 Plates

Includes vinyl cover for safe storage and hygiene





#### **Features**

- · Made of high density polyethylene monobloc construction which provides long-term usage.
- · Safely storage and carry.
- · Opened shelf design for easy access.
- · Break-proof monobloc structure which provides easy holding.
- · Easy to clean.
- Adjustable model provides reliable and safe transportation.
- · Integrated metal helps dishes to get fixed.
- · Environmentally friendly since it's made of recyclable raw material.
- It won't dent, crack, rust, chipor break.
- · Includes vinyl cover for safe storage and good hygiene.
- · Ready-to-use not requiring any assembly.
- · NSF-Certified.



Include 6 pieces polyethylene molded adjustable dividers that help changing the size of column according to different dish sizes in an easy fashion

and square dishes with 5 casters





25-38,50 cm Plates



31-34 cm Plates



22-30,50 cm Plates



19-25 cm Plates



23-30,50 cm Plates



21-25 cm Plates




20-21 cm Plates




20 cm Plates





11-33 cm Plates



11-33 cm & 17,5-30 cm Plates



20-29 cm & 13-22 cm Oval Plates




25-29 cm Square Plates




24-28 cm Square Plates



15-20 cm Round & Square Plates



22-29 cm Oval Plates & 40 cm Round Tray



20 cm Square Plates



33,50 cm Round Plates + 25 and 29 cm Square + 21-29 cm Oval Plates



22-29 cm Oval Plates












Dimension	L: 1450xW: 1000xH: 1220 mm
Quantity In Box	1 pcs

The upper part is appropriate for serving as well as displaying products



Visuals such as advertisements can be placed in the large area on the front. Mounting holes on the sides are used to

Multi-purpose large-area drawer



The hole in the rinsing area is designed for tap mounting, siphon beverage unit (such as draft beer unit, premix unit)

Sink and rinsing area (Cutting board can be placed in the rinsing area)





Special area designed for placing GN containers



Storage, stocking area

## **Modular Shelving Systems**













Scan here to watch the assembly video.

#### **Features**

- · 11 size lengths. It increases by 100 mm between 705 mm up to 1715 mm
- · Rigid structure with tapered self-locking fittings.
- · These shelves are suitable for cold rooms and storages.
- $\cdot$  Solidity and longevity due to anodized aluminum profiles and ABS racks.
- · Upright 32x30 cm poles with adjustable feet and 25x42 mm Cross-section profiles made of anodized aluminum.
- $\cdot$  Removable ABS shelve racks can be put in the dishwasher up to 90  $^{\circ}\text{C}.$
- · Modularity of line or corner mounting.
- · Maximum loading capacity per shelf: 120 150 Kg.
- · Height: 1680 mm (3, 4, 5 levels) / 2130 mm (4, 5, 6 levels).
- · 11 to 13 possible level positions.






Anodized aluminum modular shelves easy to assemble with a simple tool (which is plastic hammer)



Rust-free warranty with 20 micron anodized aluminum



Maximum hygiene. Heat resistance from


-30°C to +60°C

# MODULAR SHELVI

## **Modular Shelving Systems**







#### H Model Shelf (Depths 56 cm) Modular Shelving System / Alu. Profile + ABS

Product Code	Dimensions
TS-7056-H	700x560x1680
TS-8056-H	800x560x1680
TS-9056-H	900x560x1680
TS-100556-H	1005x560x1680
TS-110556-H	1105x560x1680
TS-120556-H	1205x560x1680
TS-130556-H	1305x560x1680
TS-14156-H	1410x560x1680
TS-15156-H	1510x560x1680
TS-16156-H	1610x560x1680
TS-17156-H	1710x560x1680

#### E Model Shelf (Depths 56 cm) Modular Shelving System / Alu. Profile + ABS


<b>Product Code</b>	Dimensions
TS-65956-E	659x560x1680
TS-75956-E	759x560x1680
TS-85956-E	859x560x1680
TS-96456-E	964x560x1680
TS-106456-E	1064x560x1680
TS-116456-E	1164x560x1680
TS-126456-E	1264x560x1680
TS-136956-E	1369x560x1680
TS-146956-E	1469x560x1680
TS-156956-E	1569x560x1680
TS-166956-E	1669x560x1680

## MODULAR SHELVII SYSTEMS

## **Modular Shelving Systems**







H Model Shelf (Depths 46 cm) Modular Shelving System / Alu. Profile + ABS

Product Code	Dimensions
TS-7046-H	700x460x1680
TS-8046-H	800x460x1680
TS-9046-H	900x460x1680
TS-100546-H	1005x460x1680
TS-110546-H	1105x460x1680
TS-120546-H	1205x460x1680
TS-130546-H	1305x460x1680
TS-14146-H	1410x460x1680
TS-15146-H	1510x460x1680
TS-16146-H	1610x460x1680
TS-17146-H	1710x460x1680

#### E Model Shelf (Depths 46 cm) Modular Shelving System / Alu. Profile + ABS


<b>Product Code</b>	Dimensions
TS-65946-E	659x460x1680
TS-75946-E	759x460x1680
TS-85946-E	859x460x1680
TS-96446-E	964x460x1680
TS-106446-E	1064x460x1680
TS-116446-E	1164x460x1680
TS-126446-E	1264x460x1680
TS-136946-E	1369x460x1680
TS-146946-E	1469x460x1680
TS-156946-E	1569x460x1680
TS-166946-E	1669x460x1680

# MODULAR SHELVI

## **Modular Shelving Systems**







#### H Model Shelf (Depths 36 cm) Modular Shelving System / Alu. Profile + ABS

<b>Product Code</b>	Dimensions
TS-7036-H	700x360x1680
TS-8036-H	800x360x1680
TS-9036-H	900x360x1680
TS-100536-H	1005x360x1680
TS-110536-H	1105x360x1680
TS-120536-H	1205x360x1680
TS-130536-H	1305x360x1680
TS-14136-H	1410x360x1680
TS-15136-H	1510x360x1680
TS-16136-H	1610x360x1680
TS-17136-H	1710x360x1680

#### E Model Shelf (Depths 36 cm) Modular Shelving System / Alu. Profile + ABS

<b>Product Code</b>	Dimensions
TS-65936-E	659x360x1680
TS-75936-E	759x360x1680
TS-85936-E	859x360x1680
TS-96436-E	964x360x1680
TS-106436-E	1064x360x1680
TS-116436-E	1164x360x1680
TS-126436-E	1264x360x1680
TS-136936-E	1369x360x1680
TS-146936-E	1469x360x1680
TS-156936-E	1569x360x1680
TS-166936-E	1669x360x1680



### **Classic Model - Racks and Extenders**







Plate Rack	TB-50
Color	Blue
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	10,20 Kg
Gross Weight	11,10 Kg







Color	Blue
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	8 Kg
Gross Weight	9 Kg



#### Regular Glass Rack DBB-50

Color	Blue
Dimensions/	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	8,70 Kg
Gross Weight	9,60 Kg



#### 9 Compertment Glass Rack BB-9

Color	Beige
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	8,70 Kg
Gross Weight	9,60 Kg



#### 16 Compartment Glass Rack BB-16

Color	Grey
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	9,60 Kg
Gross Weight	10,50 Kg



#### 25 Compartment Glass Rack BB-25

Color	Blue
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	10,80 Kg
Gross Weight	11,70 Kg



#### 36 Compartment Glass Rack BB-36

Color	Green
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	11,40 Kg
Gross Weight	12,30 Kg



#### 49 Compartment Glass Rack BB-49

Color	Red
Dimensions	L500xW500xH100 mm
Carton Size	L515xW515xH595 mm
Quantity	6 Pcs.
Net Weight	12,90 Kg
Gross Weight	13,80 Kg




#### 9 Compartment Extender BY-9

Color	Beige
Dimensions	L500xW500xH40 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	3,30 Kg
Gross Weight	4 Kn



#### 16 Compartment Extender BY-16

Color	Grey
Dimensions	L500xW500xH40 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	3,60 Kg
Gross Weight	4,30 Kg



¶ Ø 63 mm

#### 25 Compartment Extender BY-25

Blue
L500xW500xH40 mm
L515xW515xH295 mm
6 Pcs.
4 Kg
4,70 Kg



#### 36 Compartment Extender BY-36

Color	Green
Dimensions	L500xW500xH40 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	4,90 Kg
Gross Weight	5,50 Kg



Color	Red
Dimensions	L500xW500xH40 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	5,40 Kg
Gross Weight	6 Kg



Open Extender	AY-50
Color	Blue
Dimensions	L500xW500xH40 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	2,40 Kg
Gross Weight	3,10 Kg

## **Classic Model - Racks and Extenders**





BMS-35	
Grey	
L350xW350xH150 mm	
L515xW515xH595 mm	
6 Pcs.	
3,90 Kg	
4,70 Kg	



Tray Rack	TP-50	
Color/	Beige	
Dimensions	ns L500xW500xH40 mm	
Carton Size	L515xW515xH295 mm	
Quantity	6 Pcs.	
Net Weight	9,60 Kg	
Gross Weight	10,60 Kg	



Rack for 12 Plates	1 YA-33
Color	Grey
Dimensions	L292xW90xH75 mm
Carton Size	L515xW515xH295 mm
Quantity	40 Pcs.
Net Weight	5,75 Kg
Gross Weight	6,60 Kg



8 Compartment	t Cutlery Rack CKB-8
Color	Grey
Dimensions	L450xW193xH184 mm
Carton Size	L515xW515xH295 mm
Quantity	6 Pcs.
Net Weight	7,20 Kg
Gross Weight	8,20 Kg




Round Basket 1	or Cutiery	UKA-33
Color	Grey	
Dimensions	110 H	H. 125 mm
Carton Size	Ø L515x	W515xH295 mm
Quantity	40 Pcs	s./
Net Weight	2,30 K	(g
Gross Weight	3.15 K	.a




4 Compartment	KVR-	
Color	Grey	
Dimensions	L540xW33,0xH100 mm	
Carton Size	L515xW515xH295 mm	
Quantity	24 Pcs.	
Net Weight	15,60 Kg	
Gross Weight	17,40 Kg	

**Cutlery Dispenser** 

#### QUICK AND EASY WAY TO FIND THE RIGHT RACK AND EXTENDERS




- 1. Measure the maximum diameter of the glass (stemware or tumbler) to determine the number of compartments.
- 2. Measure the maximum height of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.



WARE-WASHING PRODUCTS

## **Closed Sided Model - Racks and Extenders**






CARTON SIZE: L: 510 mm W: 510 mm H: 700 mm


Code	Description	Max Glass Heigh	Case Pack
9-SB-92	9 Comp.Glass Rack	max. h: 92 mm Glass	5
9-SB-133	9 Comp.Glass Rack	max. h: 133 mm Glass	4
9-SB-174	9 Comp.Glass Rack	max. h: 174 mm Glass	3
9-SB-215	9 Comp.Glass Rack	max. h: 215 mm Glass	2
9-SB-257	9 Comp.Glass Rack	max. h: 257 mm Glass	2
9-SB-298	9 Comp.Glass Rack	max. h: 298 mm Glass	2






16-SB-92	16 Comp.Glass Rack	max. h: 92 mm Glass	5
16-SB-114 *	16 Comp.Glass Rack	max. h: 114 mm Glass	5
16-SB-133	16 Comp.Glass Rack	max. h: 133 mm Glass	4
16-SB-155 *	16 Comp.Glass Rack	max. h: 155 mm Glass	4
16-SB-174	16 Comp.Glass Rack	max. h: 174 mm Glass	3
16-SB-196 *	16 Comp.Glass Rack	max. h: 196 mm Glass	3
16-SB-215	16 Comp.Glass Rack	max. h: 215 mm Glass	2
16-SB-238 *	16 Comp.Glass Rack	max. h: 238 mm Glass	2
16-SB-257	16 Comp.Glass Rack	max. h: 257 mm Glass	2
16-SB-279 *	16 Comp.Glass Rack	max. h: 279 mm Glass	2
16-SB-298	16 Comp.Glass Rack	max. h: 298 mm Glass	2
16-SB-320 *	16 Comp.Glass Rack	max. h: 320 mm Glass	2






25-SB-92	25 Comp.Glass Rack	max. h: 92 mm glass	5
25-SB-114 *	25 Comp.Glass Rack	max. h: 114 mm glass	5
25-SB-133	25 Comp.Glass Rack	<u> </u>	4
25-SB-155 *	25 Comp.Glass Rack	max. h: 155 mm glass	4
25-SB-174	25 Comp.Glass Rack	max. h: 174 mm glass	3
25-SB-196 *	25 Comp.Glass Rack	max. h: 196 mm glass	3
25-SB-215	25 Comp.Glass Rack	max. h: 215 mm glass	2
25-SB-238 *	25 Comp.Glass Rack	max. h: 238 mm glass	2
25-SB-257	25 Comp.Glass Rack	max. h: 257 mm glass	2
25-SB-279 *	25 Comp.Glass Rack	max. h: 279 mm glass	2
25-SB-298	25 Comp.Glass Rack	max. h: 298 mm glass	2
25-SB-320 *	25 Comp.Glass Rack	max. h: 320 mm glass	2






36-SB-92	36 Comp.Glass Rack	Max. h: 92 mm Glass	5
36-SB-114 *	36 Comp.Glass Rack	Max. h: 114 mm Glass	5
36-SB-133	36 Comp.Glass Rack	Max. h: 133 mm Glass	4
36-SB-155 *	36 Comp.Glass Rack	Max. h: 155 mm Glass	4
36-SB-174	36 Comp.Glass Rack	Max. h: 174 mm Glass	3
36-SB-196 *	36 Comp.Glass Rack	Max. h: 196 mm Glass	3
36-SB-215	36 Comp.Glass Rack	Max. h: 215 mm Glass	2
36-SB-238 *	36 Comp.Glass Rack	Max. h: 238 mm Glass	2
36-SB-257	36 Comp.Glass Rack	Max. h: 257 mm Glass	2
36-SB-279 *	36 Comp.Glass Rack	Max. h: 279 mm Glass	2
36-SB-298	36 Comp.Glass Rack	Max. h: 298 mm Glass	2
36-SB-320 *	36 Comp.Glass Rack	Max. h: 320 mm Glass	2



49-SB-298




49-SB-92	49 Comp.Glass Rack	Max. h: 92 mm Glass	5	
4-SB-133	49 Comp.Glass Rack	Max. h: 133 mm Glass	4	Ī
49-SB-174	49 Comp.Glass Rack	Max. h: 174 mm Glass	3	
49-SB-215	49 Comp.Glass Rack	Max. h: 215 mm Glass	2	Ī
49-SB-257	49 Comp.Glass Rack	Max. h: 257 mm Glass	2	
49-SB-298	49 Comp.Glass Rack	Max. h: 298 mm Glass	2	

\* Marked products are used for stemware.
Compartment Extenders cannot be added


## **Closed Sided Model - Racks and Extenders**







#### EXTENDERS CARTON SIZE: L: 510 mm W: 510 mm H: 700 mm

Code	Description	Case Pack
9Y1	9 Comp. Full Drop Extender	12
16Y1	16 Comp. Full Drop Extender	12
25Y1	25 Comp. Full Drop Extender	12
36Y1	36 Comp. Full Drop Extender	12
49Y1	49 Comp. Full Drop Extender	12






9Y2	9 Comp. Half Drop Extender	12
16Y2	16 Comp. Half Drop Extender	12
25Y2	25 Comp. Half Drop Extender	12
36Y2	36 Comp. Half Drop Extender	12
49Y2	49 Comp. Half Drop Extender	12






16Y4	16 Comp. Full Drop Stemware Extender	12
25Y4	25 Comp. Full Drop Stemware Extender	12
36Y4	36 Comp. Full Drop Stemware Extender	12





16Y5	16 Comp. Half Drop Stemware Extender	12
25Y5	25 Comp. Half Drop Stemware Extender	12
36Y5	36 Comp. Half Drop Stemware Extender	12





Code	: SDB-50
Product	: Regular Glass Rack
Color	: Blue
Dimensions (mm)	: 500x500x101 mm
Carton Size (6 pcs)	: 510x510x580 mm
Net Kg	: 8,30 kg
Gross Kg	: 9,30 kg



Code	: SCK-50
Product	: Regular Cutlery Rack
Color	: Blue
Dimensions (mm)	: 500x500x101 mm
Carton Size (6 pcs)	: 510x510x580 mm
Net Kg	: 10,32 kg
Gross Kg	: 11,32 kg



SY-3	Open Extender	12



SKK-50	Rack Cover for Full Size	Grev	500x500x24 mm
	Hack Cover for Fair Cize	Oicy	OUGAGGGAZ TITITI







	9	<b>9</b>
Product code	BTA-01	BTA-02
Ext. Dimensions	L: 580xW: 580xH: 220 mm	L: 580xW: 580xH: 220 mm/900 mm
Carton Size	L: 590xW: 590xH: 230 mm	L: 590xW: 590xH: 230 mm/910 mm
Quantity In Box	1 pcs	1 pcs
Net Weight	6,70 Kg	8,75 Kg
Gross Weight	8 Kg	9,85 Kg





Easy, safe transport due to the stainless steel handle design





It won't, crack, chip or break.

**Features** 

heavy weights. · Durable and long-lasting.

· Easy to clean.

· It can keep the water that may get out of the basket and around the water-tight chamber.

· Seamless double-walled monobloc construction ensuring resistance to

- · Stainless steel bar not included (BTA-01).
- · Stainless steel bar included (BTA-02).
- · Body made of LLDPE.





No Bacteria



No Dirty Hands





No Bugs



No Dirty Mop Water



Easy to move due to 4 wheels

without brakes


**High Durable Low Maintenance** Easy to Clean







Quiet, Smooth Glide, Swivel Casters. 2 Of Them With Brake



Ext. Dimensions	L: 520xW: 580xH: 960 mm	L: 520xW: 580xH: 1770 mm
Quantity In Box	1 pcs	1 pcs
Number of Shelves	5	11




## **Cigarette Bin**





Product code	KUL-DT	KUL-TR
Ext. Dimensions	L: 200xW: 120xH: 520 mm	L: 265xW: 210xH: 1040 mm
Carton Size	L: 225xW: 130xH: 530 mm	L: 280xW: 220xH: 1080 mm
Quantity In Box	1 pcs	1 pcs
Net Weight	2,20 Kg	7,30 Kg
Gross Weight	2,55 Kg	8,20 Kg







#### **Features**

- · Durable and long lasting.
- · Designed for dropping stumps of cigarettes.
- · It can't be used as a bin.
- · It can be installed on the floor or can be used as a portable.
- · Easy to clean.
- $\cdot$  You can advertise a company or a brand on the front or in the back of the ashtray.
- · It won't dent, crack, rust, chip or break.
- Body and door made of LLDPE.
- · Hood cover made by pressed aluminum.
- · 304 AISI stainless steel ashtray part.
- · Bin made of galvanized steel.
- · Bin capacity: 3500 cigarette stumps.
- · Inner funnel made of pressed aluminum.

## **Order Grabber**

Order holders to be specially prepared according to the order



It holds the paper strongly and easily thanks to the ball-shaped beads inside







It is made of aluminium. There are plastic caps at the end points of the holders

## **Helmet Holder** (Wall Mounted)





## **Baby Chair (Monobloc, 2 Wheeled)**

Color







Product code	BMS-86
Ext. Dimensions	L: 500xW: 590xH: 860 mm
Carton Size	L: 525xW: 610xH: 865 mm
Quantity İn Box	1 pcs
Net Weight	8,10 Kg
Gross Weight	10,40 Kg

#### **Features**

- · Light and confortable.
- · Monobloc construction for long term usage and impact
- · Made of polypropylene suitable for food and harmless for children.
- · Easy to move.
- · Thanks to integrated sockets, it won't slide voluntarily.
- · Ideal for restaurants, cafés and kindergartens.
- · Its wide pan makes feeding the baby more comfortable.
- · Easy to clean.
- · It won't dent, crack, rust, chip or break.

## **Baby Changing Station**

Belt to hold the baby







BAD-01
L: 500xW: 890xH: 80 mm
L: 530xW: 880xH: 120 mm
1 pcs
7,90 Kg
8,40 Kg

#### **Features**

- · Wall mounted
- · Has a wide and deep laying space for the baby.
- · Thanks to its hydraulic system, its cover can be closed on the wall saving the space in the room.
- · It includes a hanging part. Parents can hang in it their bags and similar items.
- · Includes safety belt for the baby.
- · The product is antibacterial and absolutely harmless for babies not causing any allergies.
- · Label space that can be used to advertise companies or

#### **Usage Areas**

Has been designed to be used at restroom and bathroom of the public restrooms, shopping malls, health and industry associations, petrol stations, cafes and restaurants etc.



### Food Service Products



ENGLISH-TÜRKÇE: To Access The Catalogue Kataloğa Erişmek İçin

GERMAN-ENGLISH: Zugang zum Katalog To Access The Cataloque





FRENCH-SPANISH: Pour accéder au catalogue Para acceder al catálogo

ARABIC-ENGLISH: اقرأ الرمز للوصول إلى الكاتالوغ To Access The Catalogue





#### TURKIYE / ISTANBUL Çakıl Mah. Elbasan Cad. Harput San. Sitesi No: 67 Çatalca / İstanbul +90 212 886 71 90 / 91 info@tribecafsp.com export@tribecafsp.com www.tribecafsp.com



#### UAE / DUBAI Tribeca General Trading LLC: Warehouse No:4, Al Falasi Warehouse Str. 27, Al Khabaisi, Deira, Dubai. UAE Tel: +971 50 663 7485

Tel: +971 50 663 7485 +971 50 985 7485 uae@tribecafsp.com www.tribecafsp.com



#### **USA / NEW JERSEY**

National Distributing Group North America 1135 W Elizabeth Avenue Linden, New Jersey 07036 USA Tel: 980-888-8197 Toll free: 1-866-201-8289

Toll free: 1-866-201-8289 www.ndgnorthamerica.com info@ndgnorthamerica.com



#### CANADA / TORONTO

National Distributing Group 375 Norfinch Drive, Toronto, ON. M3N 1Y7 CANADA Tel: 416-665-3663 Fax: 416-665-2757 Toll Free: 1-844-660-3663

#### www.ndgcanada.com

info@ndgcanada.com canada@tribecanorthamerica.com



#### **QATAR / DOHA**

Ajmanco- Morex Group Zone No. 24,Street No. 340, Building No. 39, Salwa Road, Doha-Qatar, PO Box – 24165 Tel: +974 4491 7575 Mob: +974 5587 3440 sales@ajmanco.com www.ajmanco.com